Hearing Research, 29 (1987) 275, 276
Elsevier

Author Index

Amenta III, C.A., Trahiotis, C., Bernstein, L.R. and Nuetzel, J.M.
Some physical and psychological effects produced by selective delays of the envelope of narrow bands of noise (29) 147
Amiel, C., see Sziklai, I. (29) 245
Aran, J.-M., see Charlet de Sauvage, R. (29) 105

Bagger-Sjöbäck, D., see Fredelius, L. (29) 139
Bernstein, L.R., see Amenta III, C.A. (29) 147
Bohne, B.A., Yohman, L. and Gruner, M.M.
Cochlear damage following interrupted exposure to high-frequency noise (29) 251
Budelli, R., see Vega, R. (29) 163

Charlet de Sauvage, R., Aran, J.-M. and Erre, J.-P.
Mathematical analysis of VIIIth nerve cap with a linearly-fitted experimental unit response (29) 105
Cheatham, M.A., see Offner, F.F. (29) 117
Comis, S.D., see Pickles, J.O. (29) 237

Dallos, P., see Offner, F.F. (29) 117

Erre, J.-P., see Charlet de Sauvage, R. (29) 105

Ferrary, E., see Sziklai, I. (29) 245
Fredelius, L., Bagger-Sjöbäck, D. and Rask-Andersen, H.
Effects of high intensity pure tone stimulation on the endolymphatic sac — Correlations between cochlear morphology and endolymphatic sac response (29) 139

Gifford, M.L. and Guinan, Jr., J.J.
Effects of electrical stimulation of medial olivocochlear neurons on ipsilateral and contralateral cochlear responses (29) 179
González-Estrada, M.T., see Vega, R. (29) 163
Gruner, M.M., see Bohne, B.A. (29) 251
Guinan, Jr., J.J., see Gifford, M.L. (29) 179
Gummer, A.W., Smolders, J.W.T. and Klinke, R.
Basilar membrane motion in the pigeon measured with the Mössbauer technique (29) 63

Klinke, R., see Gummer, A.W. (29) 63
Kroese, A.B.A., see Van Netten, S.M. (29) 55

Lenoir, M. and Puel, J.-L.
Development of $2f_1 - f_2$ otoacoustic emissions in the rat (29) 265

Manley, G.A., see Runhaar, G. (29) 93
Moody, D.B., see Smith, D.W. (29) 125
Moore, J.K.
The human auditory brain stem: a comparative view (29) 1
Moore, J.K.
The human auditory brain stem as a generator of auditory evoked potentials (29) 33

Norat, M.A., see Smith, D.W. (29) 125
Nuetzel, J.M., see Amenta III, C.A. (29) 147

Offner, F.F., Dallos, P. and Cheatham, M.A.
Positive endocochlear potential: Mechanism of production by marginal cells of stria vascularis (29) 117
Osborne, M.P., see Pickles, J.O. (29) 237

Pickles, J.O., Comis, S.D. and Osborne, M.P.
The effect of chronic application of kanamycin on stereocilia and their tip links in hair cells of the guinea pig cochlea (29) 237
Puel, J.-L., see Lenoir, M. (29) 265

Rask-Andersen, H., see Fredelius, L. (29) 139
Relkin, E.M., see Siegel, J.H. (29) 169
Runhaar, G. and Manley, G.A.
Potassium concentration in the inner sulcus is perilymph-like (29) 93

Shofner, W.P. and Young, E.D.
Inhibitory connections between AVCN and DCN: Evidence from lidocaine injection in AVCN (29) 45
Siegel, J.H. and Relkin, E.M.
Evidence for presynaptic facilitation in primary cochlear afferent neurons (29) 169
Smith, D.W., Moody, D.B., Stebbins, W.C. and Norat, M.A.
Effects of outer hair cell loss on the frequency selectivity of the patas monkey auditory system (29) 125
Smolders, J.W.T., see Gummer, A.W. (29) 63
Soto, E., see Vega, R. (29) 163
Stebbins, W.C., see Smith, D.W. (29) 125
Sterkers, O., see Sziklai, I. (29) 245
Stypulkowski, P.H., see Van den Honert, C. (29) 195
Stypulkowski, P.H., see Van den Honert, C. (29) 207
Sziklai, I., Ferrary, E., Sterkers, O. and Amiel, C.
Vasopressin entry into the inner ear fluids of the rat (29) 245

Trahiotis, C., see Amenta III, C.A. (29) 147

Van den Honert, C. and Stypulkowski, P.H.
Single fiber mapping of spatial excitation patterns in the electrically stimulated auditory nerve (29) 195
Van den Honert, C. and Stypulkowski, P.H.
Temporal response patterns of single auditory nerve fibers elicited by periodic electrical stimuli (29) 207
Van Netten, S.M. and Kroese, A.B.A.
Laser interferometric measurements on the dynamic behaviour of the cupula in the fish lateral line (29) 55
Van Stokkum, I.H.M.
Sensitivity of neurons in the dorsal medullary nucleus of the grassfrog to spectral and temporal characteristics of sound (29) 223
Vega, R., Soto, E., Budelli, R. and González-Estrada, M.T.
Is GABA an afferent transmitter in the vestibular system? (29) 163

Yohman, L., see Bohne, B.A. (29) 251
Young, E.D., see Shofner, W.P. (29) 45

Hearing Research, 29 (1987) 277–280
Elsevier

Subject Index

Acoustic overstimulation
Cochlear damage; Endolymphatic sac (Fredelius, L. (29) 139)

Amplitude modulation
Anuran; Click; Dorsal medullary nucleus; Mating call detection (Van Stokkum, I.H.M. (29) 223)

Anuran
Amplitude modulation; Click; Dorsal medullary nucleus; Mating call detection (Van Stokkum, I.H.M. (29) 223)

ATPase, (Na + K)-
Endocochlear potential; Stria vascularis; Marginal cell; Intracellular resting potential; Marginal cell model; Perilymphatic perfusion (Offner, F.F. (29) 117)

Auditory evoked potential
Human brain stem (Moore, J.K. (29) 33)

Auditory nerve
Facilitation; Synaptic transmission (Siegel, J.H. (29) 169)

Electrical stimulation; Single fiber; Spatial selectivity; Multiple electrode; Cochlear implant (Van den Honert, C. (29) 195)

Electrical stimulation; Single fiber; Temporal pattern; Waveform (Van den Honert, C. (29) 207)

Avian hearing
Basilar membrane; Traveling wave; Tonotopic organization; Pigeon; Columella footplate; Mössbauer technique (Gummer, A.W. (29) 63)

Basilar membrane
Traveling wave; Avian hearing; Tonotopic organization; Pigeon; Columella footplate; Mössbauer technique (Gummer, A.W. (29) 63)

Bicuculline
GABA; Muscimol; Picrotoxin; Hair cell; Vestibular system (Vega, R. (29) 163)

Binaural hearing
Lateralization; Selective noise delay (Amenta III, C.A. (29) 147)

Cerebral lateral ventricle
Vasopressin; Sucrose; Endolymph; Perilymph (Sziklai, I. (29) 245)

Click
Amplitude modulation; Anuran; Dorsal medullary nucleus; Mating call detection (Van Stokkum, I.H.M. (29) 223)

Cochlear damage
Acoustic overstimulation; Endolymphatic sac (Fredelius, L. (29) 139)

Cochlear hair cell
Kanamycin; Stereocilium; Cross-link; Transduction; Guinea pig (Pickles, J.O. (29) 237)

Cochlear implant
Electrical stimulation; Single fiber; Auditory nerve; Spatial selectivity; Multiple electrode (Van den Honert, C. (29) 195)

Cochlear mechanics
Compound action potential; Deconvolution; Electrical stimulation; Unit response; VIIIth nerve (Charlet de Sauvage, R. (29) 105)

Cochlear nucleus
Human brain stem; Superior olivary complex; Lemniscal nucleus; Inferior colliculus (Moore, J.K. (29) 1)

Cochlear response
Medial olivochlear efferent; Olivocochlear bundle (Gifford, M.L. (29) 179)

Columella footplate
Basilar membrane; Traveling wave; Avian hearing; Tonotopic organization; Pigeon; Mössbauer technique (Gummer, A.W. (29) 63)

Compound action potential
Cochlear mechanics; Deconvolution; Electrical stimulation; Unit response; VIIIth nerve (Charlet de Sauvage, R. (29) 105)

Cross-link
Kanamycin; Stereocilium; Cochlear hair cell; Transduction; Guinea pig (Pickles, J.O. (29) 237)

Cupular motion
Fish canal lateral line; Laser interferometer microscope; Nanometer displacement range; Frequency response; Hydrodynamical model (Van Netten, S.M. (29) 55)

Deconvolution
Cochlear mechanics; Compound action potential; Electrical stimulation; Unit response; VIIIth nerve (Charlet de Sauvage, R. (29) 105)

Development
Otoacoustic emission; Rat (Lenoir, M. (29) 265)

Dorsal cochlear nucleus
Principal cell; Lidocaine; Inhibition (Shofner, W.P. (29) 45)

Dorsal medullary nucleus
Amplitude modulation; Anuran; Click; Mating call detection (Van Stokkum, I.H.M. (29) 223)

Electrical stimulation
Cochlear mechanics; Compound action potential; Deconvolution; Unit response; VIIIth nerve (Charlet de Sauvage, R. (29) 105)

Single fiber; Auditory nerve; Spatial selectivity; Multiple electrode; Cochlear implant (Van den Honert, C. (29) 195)

Auditory nerve; Single fiber; Temporal pattern; Waveform (Van den Honert, C. (29) 207)

Endocochlear potential
Stria vascularis; Marginal cell; ATPase, (Na + K)-; Intracellular resting potential; Marginal cell model; Perilymphatic perfusion (Offner, F.F. (29) 117)

Endolymph
Guinea pig; Perilymph; Potassium-selective microelectrode (Runhaar, G. (29) 93)

Vasopressin; Sucrose; Perilymph; Cerebral lateral ventricle (Sziklai, I. (29) 245)

Endolymphatic sac
Acoustic overstimulation; Cochlear damage (Fredelius, L. (29) 139)

Facilitation
Auditory nerve; Synaptic transmission (Siegel, J.H. (29) 169)

Fish canal lateral line
Laser interferometer microscope; Cupular motion; Nanometer displacement range; Frequency response; Hydrodynamical model (Van Netten, S.M. (29) 55)

Frequency response
Fish canal lateral line; Laser interferometer microscope; Cupular motion; Nanometer displacement range; Hydrodynamical model (Van Netten, S.M. (29) 55)

Frequency selectivity
Psychophysical tuning curve; Hair cell, outer (Smith, D.W. (29) 125)

GABA
Muscimol; Bicuculline; Picrotoxin; Hair cell; Vestibular system (Vega, R. (29) 163)

Guinea pig
Endolymph; Perilymph; Potassium-selective microelectrode (Runhaar, G. (29) 93)

Kanamycin; Stereocilium; Cross-link; Cochlear hair cell; Transduction (Pickles, J.O. (29) 237)

Hair cell
GABA; Muscimol; Bicuculline; Picrotoxin; Vestibular system (Vega, R. (29) 163)

Hair cell, outer
Frequency selectivity; Psychophysical tuning curve (Smith, D.W. (29) 125)

Histopathology
Interrupted noise exposure; Inner ear (Bohne, B.A. (29) 251)

Human brain stem
Cochlear nucleus; Superior olivary complex; Lemniscal nucleus; Inferior colliculus (Moore, J.K. (29) 1)

Auditory evoked potential (Moore, J.K. (29) 33)

Hydrodynamical model
Fish canal lateral line; Laser interferometer microscope; Cupular motion; Nanometer displacement range; Frequency response (Van Netten, S.M. (29) 55)

Inferior colliculus
Human brain stem; Cochlear nucleus; Superior olivary complex; Lemniscal nucleus (Moore, J.K. (29) 1)

Inhibition
Dorsal cochlear nucleus; Principal cell; Lidocaine (Shofner, W.P. (29) 45)

Inner ear
Interrupted noise exposure; Histopathology (Bohne, B.A. (29) 251)

Interrupted noise exposure
Histopathology; Inner ear (Bohne, B.A. (29) 251)

Intracellular resting potential
Endocochlear potential; Stria vascularis; Marginal cell; ATPase, (Na + K)-; Marginal cell model; Perilymphatic perfusion (Offner, F.F. (29) 117)

Kanamycin
Stereocilium; Cross-link; Cochlear hair cell; Transduction; Guinea pig (Pickles, J.O. (29) 237)

Laser interferometer microscope
Fish canal lateral line; Cupular motion; Nanometer displacement range; Frequency response; Hydrodynamical model (Van Netten, S.M. (29) 55)

Lateralization
Selective noise delay; Binaural hearing (Amenta III, C.A. (29) 147)

Lemniscal nucleus
Human brain stem; Cochlear nucleus; Superior olivary complex; Inferior colliculus (Moore, J.K. (29) 1)

Lidocaine
Dorsal cochlear nucleus; Principal cell; Inhibition (Shofner, W.P. (29) 45)

Marginal cell
Endocochlear potential; Stria vascularis; ATPase, (Na + K)-; Intracellular resting potential; Marginal cell model; Perilymphatic perfusion (Offner, F.F. (29) 117)

Marginal cell model
Endocochlear potential; Stria vascularis; Marginal cell; ATPase, (Na + K)-; Intracellular resting potential; Perilymphatic perfusion (Offner, F.F. (29) 117)

Mating call detection
Amplitude modulation; Anuran; Click; Dorsal medullary nucleus (Van Stokkum, I.H.M. (29) 223)

Medial olivochlear efferent
Cochlear response; Olivocochlear bundle (Gifford, M.L. (29) 179)

Mössbauer technique
Basilar membrane; Traveling wave; Avian hearing; Tonotopic organization; Pigeon; Columella footplate (Gummer, A.W. (29) 63)

Multiple electrode
Electrical stimulation; Single fiber; Auditory nerve; Spatial selectivity; Cochlear implant (Van den Honert, C. (29) 195)

Muscimol
GABA; Bicuculline; Picrotoxin; Hair cell; Vestibular system (Vega, R. (29) 163)

Nanometer displacement range
Fish canal lateral line; Laser interferometer microscope; Cupular motion; Frequency response; Hydrodynamical model (Van Netten, S.M. (29) 55)

Olivocochlear bundle
Medial olivochlear efferent; Cochlear response (Gifford, M.L. (29) 179)

Otoacoustic emission
Development; Rat (Lenoir, M. (29) 265)

Perilymph
Guinea pig; Endolymph; Potassium-selective microelectrode (Runhaar, G. (29) 93)
Vasopressin; Sucrose; Endolymph; Cerebral lateral ventricle (Sziklai, I. (29) 245)

Perilymphatic perfusion
Endocochlear potential; Stria vascularis; Marginal cell; ATPase, (Na + K)-; Intracellular resting potential; Marginal cell model (Offner, F.F. (29) 117)

Picrotoxin
GABA; Muscimol; Bicuculline; Hair cell; Vestibular system (Vega, R. (29) 163)

Pigeon
Basilar membrane; Traveling wave; Avian hearing; Tonotopic organization; Columella footplate; Mössbauer technique (Gummer, A.W. (29) 63)

Potassium-selective microelectrode
Guinea pig; Endolymph; Perilymph (Runhaar, G. (29) 93)

Principal cell
Dorsal cochlear nucleus; Lidocaine; Inhibition (Shofner, W.P. (29) 45)

Psychophysical tuning curve
Frequency selectivity; Hair cell, outer (Smith, D.W. (29) 125)

Rat
Otoacoustic emission; Development (Lenoir, M. (29) 265)

Selective noise delay
Lateralization; Binaural hearing (Amenta III, C.A. (29) 147)

Single fiber
Electrical stimulation; Auditory nerve; Spatial selectivity; Multiple electrode; Cochlear implant (Van den Honert, C. (29) 195)

Auditory nerve; Electrical stimulation; Temporal pattern; Waveform (Van den Honert, C. (29) 207)

Spatial selectivity
Electrical stimulation; Single fiber; Auditory nerve; Multiple electrode; Cochlear implant (Van den Honert, C. (29) 195)

Stereocilium
Kanamycin; Cross-link; Cochlear hair cell; Transduction; Guinea pig (Pickles, J.O. (29) 237)

Stria vascularis
Endocochlear potential; Marginal cell; ATPase, (Na + K)-; Intracellular resting potential; Marginal cell model; Perilymphatic perfusion (Offner, F.F. (29) 117)

Sucrose
Vasopressin; Endolymph; Perilymph; Cerebral lateral ventricle (Sziklai, I. (29) 245)

Superior olivary complex
Human brain stem; Cochlear nucleus; Lemniscal nucleus; Inferior colliculus (Moore, J.K. (29) 1)

Synaptic transmission
Facilitation; Auditory nerve (Siegel, J.H. (29) 169)

Temporal pattern
Auditory nerve; Electrical stimulation; Single fiber; Waveform (Van den Honert, C. (29) 207)

Tonotopic organization
Basilar membrane; Traveling wave; Avian hearing; Pigeon; Columella footplate; Mössbauer technique (Gummer, A.W. (29) 63)

Transduction
Kanamycin; Stereocilium; Cross-link; Cochlear hair cell; Guinea pig (Pickles, J.O. (29) 237)

Traveling wave
Basilar membrane; Avian hearing; Tonotopic organization; Pigeon; Columella footplate; Mössbauer technique (Gummer, A.W. (29) 63)

Unit response
Cochlear mechanics; Compound action potential; Deconvolution; Electrical stimulation; VIIIth nerve (Charlet de Sauvage, R. (29) 105)

Vasopressin
Sucrose; Endolymph; Perilymph; Cerebral lateral ventricle (Sziklai, I. (29) 245)

Vestibular system
GABA; Muscimol; Bicuculline; Picrotoxin; Hair cell (Vega, R. (29) 163)

VIIIth nerve
Cochlear mechanics; Compound action potential; Deconvolution; Electrical stimulation; Unit response (Charlet de Sauvage, R. (29) 105)

Waveform
Auditory nerve; Electrical stimulation; Single fiber; Temporal pattern (Van den Honert, C. (29) 207)